

~~SECRET~~

~~CONFIDENTIAL~~

B + G-2  
2092

Executed By  
1-6568

Chief, Engineering Branch

15 March 1951

Chief, Communications Division

25X1A

Fire Hazard [REDACTED]

25X1A

1. It has been brought to my attention that the growth of trees and brush under the antennas in the vicinity of the radio transmitter station, [REDACTED], has reached a point where it presents a serious fire hazard if a prolonged drought should occur.

2. You are directed to take immediate steps to arrange for the clearing of trees, brush, or other growth from under the antennas and a sufficient distance beyond to preclude the danger of loss due to brush fires. Also a sufficiently large space should be cleared in the vicinity of the buildings so that any brush fires which might occur could not cause damage to them.

25X1A

3. A similar project for eliminating the hazard of forest or brush fires is to be undertaken at [REDACTED]

4. In view of the approaching spring and summer, this work should be considered urgent and must be undertaken at once. Please report to me progress in this matter not later than 1 April 1951.

25X1A

[REDACTED]

~~CONFIDENTIAL~~

25X1A

cc: [REDACTED]

Document No. \_\_\_\_\_  
No Change in Class. ☐  
☐ Reclassified  
Class. Changed To: TS S C  
Date: 3-11-78  
By: 38

~~SECRET~~